

11-29-00

PATENT APPLICATION

ATTORNEY DOCKET NO. 10003905-1

IN THE U.S. PATENT AND TRADEMARK OFFICE
Patent Application Transmittal Letter

ASSISTANT COMMISSIONER FOR PATENTS
Washington, D.C. 20231

Sir:

Transmitted herewith for filing under 37 CFR 1.53(b) is a(n): ☒ Utility ☐ Design
☒ original patent application,
☐ continuation-in-part application

INVENTOR(S): Charles Robert Knipe, Jr., et al.

TITLE: Chromatographic Or Spectroscopic Reports with Hyperlinks To Allow Direct Access To
External References

Enclosed are:

- ☒ The Declaration and Power of Attorney. ☒ signed ☐ unsigned or partially signed
☒ 2 sheets of drawings (one set) ☐ Associate Power of Attorney
☐ Form PTO-1449 ☒ Information Disclosure Statement and Form PTO-1449
☐ Priority document(s) ☐ (Other) _____ (fee \$ _____)

CLAIMS AS FILED BY OTHER THAN A SMALL ENTITY				
(1) FOR	(2) NUMBER FILED	(3) NUMBER EXTRA	(4) RATE	(5) TOTALS
TOTAL CLAIMS	20 — 20	0	X \$18	\$ 0
INDEPENDENT CLAIMS	3 — 3	0	X \$78	\$ 0
ANY MULTIPLE DEPENDENT CLAIMS	0		\$260	\$ 0
BASIC FEE: Design \$310.00); Utility \$690.00)				\$ 690
TOTAL FILING FEE				\$ 690
OTHER FEES				\$
TOTAL CHARGES TO DEPOSIT ACCOUNT				\$ 690

Charge \$ 690 to Deposit Account 50-1078. At any time during the pendency of this application, please charge any fees required or credit any over payment to Deposit Account 50-1078 pursuant to 37 CFR 1.25. Additionally please charge any fees to Deposit Account 50-1078 under 37 CFR 1.16, 1.17, 1.19, 1.20 and 1.21. A duplicate copy of this sheet is enclosed.

"Express Mail" label no. EL480721478US

Date of Deposit 11/28/00

I hereby certify that this is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231.

By Eleanor Pennisi

Typed Name: Eleanor Pennisi

Respectfully submitted,

Charles Robert Knipe, Jr., et al.

By Gerald P. Joyce III

Gerald P. Joyce III

Attorney/Agent for Applicant(s)

Reg. No. 37,648

Date: 11/28/00

Telephone No.: 978 659-2028

CHROMATOGRAPHIC OR SPECTROSCOPIC REPORTS WITH HYPERLINKS TO ALLOW DIRECT ACCESS TO EXTERNAL REFERENCES

Background of the Invention

5 The present application relates to improvements in scientific equipment and, in particular, to inclusion of meta language tools within software packages for use with chromatography or spectroscopy.

10 For chromatographic data analysis, a developer or expert typically creates a method that contains instrument parameters for a particular sample to control a chromatographic instrument. Once the method is created, the sample is "run" using settings in the method to produce peaks, and a report may be generated. The content of the report is based upon the processing of data or signal by the data analysis method.

15 A calibration table may be used to provide additional information about a particular peak. The information contained in the calibration table generally describes parameters used to identify the peak. However, an operator may need additional information about a particular compound or a peak besides its name. For example, the operator may need additional information about the physical and chemical attributes of a compound or other information relating to a sample being analyzed. To include the additional information as additional fields in the calibration table is prohibitive and generally not expected as part of
20 the chromatographic data analysis package. The additional information may be added using customized reporting solutions, but may require either special software packages or programming by the report developer. Also, the operator may be required to utilize another software application when accessing the report.

25 Currently, software suppliers and operators may append and embed additional information in a final report by generating a custom report with hyperlinks. With the advent of the world wide web (WWW) and the use of browser technology, many operators are familiar with using hyperlinks to access the additional information from the final report. However, the operator must be quite knowledgeable about the compound or know the source location of the information to access the additional information efficiently from the WWW.

Summary

A method for inclusion of hyperlinks or other meta language tools within a chromatography or spectroscopy software package includes creating a method that controls data analysis parameters used to identify compounds, creating a calibration table that contains the data analysis parameters, processing the data or signal associated with the parameters by the method, and generating a report that provides quantitative and qualitative results of the data or signal processing. The method may further include incorporating meta language tools in the calibration table. The meta language tools link the report to databases or other resources, such as memory or hyperlink locations, that store relevant information relating to the compounds, so that an operator may be directed to the resources without the need to know the location of the resources or go outside the report.

Description of the Drawings

The detailed description will refer to the following drawings, in which like numbers refer to like elements, and in which:

Figure 1 illustrates a chromatographic report with embedded links directed to various information source locations;

Figure 2 illustrates exemplary hardware components of a computer that is used to implement the present invention; and

Figure 3 is a flow chart of a process for incorporating meta language tools within a report generating method.

Detailed Description

Chromatography is a process in which a chemical mixture carried by a liquid or gas is separated into components as a result of differential distribution of the solutes as they flow around or over a stationary liquid or solid phase. Spectroscopy is a process or technique of using a spectrometer, an instrument for forming and examining spectra especially in the visible region of the electromagnetic spectrum. Both techniques can generate reports containing compound specific information. In the following discussion only the chromatographic system is described in detail. However, the meta language tools may apply

to both chromatographic and spectroscopic reports equally and more generally scientific equipment.

In a chromatography system, a sample may be injected or inserted into a chromatographic instrument. A developer or expert may create a method that contains data analysis parameters, such as pressure, temperature, column type for a gas chromatography, or other parameters, to control the instrument. Based on the instrument parameters, the sample may be separated into constituent parts. As the sample constituents passes through a chromatographic column in the instrument, a detector may respond to the sample constituents as the constituents exit the column. The detector response may be displayed as an offset relative to a baseline and may produce peaks in a chromatogram.

If the data or signal is analyzed by itself, certain quantitative information, such as peak retention time, peak width, or peak area, may be derived. However, to provide additional information about what each peak may be and specific information about a particular peak, a calibration table may be used. The calibration table is part of the data analysis portion of the system. The information contained in the calibration table may describe the data analysis parameters for identifying the peak and describing how the peak information may be used in additional calculations. Table 1 shows a portion of a typical calibration table.

	Signal	Compound Name	Level	Amount	Retention Time (min)	Response (Area)	Response Factor	Use default Curve
1	1	n-pentadecane	1	1.000	0.250	1.00000	Yes	Linear
2	1	p-xylene	1	1.000	0.750	1.00000	Yes	Linear
3	1	butylbenzene	1	1.000	1.750	1.00000	Yes	Linear
4	1	2-methylpent	1	1.000	2.250	1.00000	Yes	Linear
5	1	2-methylbutane	1	1.000	3.250	1.00000	Yes	Linear

Table 1

5 The method created by the developer or expert may also describe how to analyze the data or signal generated by the detector. The data analysis may affect how the peaks may be interpreted and quantified. Typically, the developer or expert may analyze a representative sample and generate a report that provides quantitative and qualitative results. These results may be based upon inherent processing algorithms and additional capabilities provided by the

10 information contained in the calibration table. The method settings, including instrument settings and data analysis settings, may be edited, and the sample may be analyzed again. Table 2 shows a typical report.

Peak #	Retention Time (min)	Type	Width (min)	Area (counts*s)	Area %	Name
1	0.250	BP	0.125	987.47973	31.22184	n-pentadecane
2	0.750	BP	0.125	97.54479	3.08809	p-xylene
3	1.750	BP	0.126	988.16975	31.28368	butylbenzene
4	2.250	BP	0.125	97.54479	3.08809	2-methylpent
5	3.250	BP	0.126	987.99972	31.27830	2-methybutane

Table 2

Once the method is created, the method may be saved and made available for use by an operator. The operator typically selects a method that is appropriate for a particular sample to be analyzed. Because of the complexity already associated with the calibration process, it is desirable to minimize the number of fields that the operator needs to enter. To either customize the report or add additional peak information, a special post analysis program may be used. Most chromatographic data system suppliers allow the operator to specify report types, such as Microsoft Excel format or comma separated variable format, so that the operator may manipulate the report using the post analysis program.

Referring to Table 2, a compound name (or other identifier) may be associated with a particular peak. However, the operator may need additional information about a particular compound or a peak besides its name. For example, the operator may need additional information about the physical and chemical attributes of a compound or other information relating to a sample being analyzed. To include the additional information as additional fields in the calibration table is usually prohibitive and generally not expected as part of the chromatographic data analysis package.

Table 3 shows a calibration table utilizing the hyperlink technology.

	Signal	Compound Name	Level	Amount	Retention Time (min)	Response (Area)	Response Factor	Use default Curve
1	1	n-pentadecane	1	1.000	0.250	1.00000	Yes	Linear
2	1	p-xylene	1	1.000	0.750	1.00000	Yes	Linear
3	1	butylbenzene	1	1.000	1.750	1.00000	Yes	Linear
4	1	2-methylpent.	1	1.000	2.250	1.00000	Yes	Linear
5	1	2-methybutane	1	1.000	3.250	1.00000	Yes	Linear

Table 3

The developer or expert may insert meta language tools into the method to be accessed by the operator. The meta language tools may be known only by the developer or expert, for example, due to security, i.e., the developer or expert may be the only individual that has access to knowledge of where the meta language tools reference to. Meta language tools include any method of electronically linking information. Examples include hyperlinks and use of URLs to link information.

After selecting a method appropriate for a particular sample to be analyzed, the operator may check if the report generated from the data or signal analysis contains meta language links. If there are meta language links embedded in the report, the operator may select the meta language links and be directed to information that the developer or expert

considers as appropriate. For example, if an extremely hazardous material is to produce a peak at 5.1 minutes in the chromatogram, the hyperlink may point to URLs that describe the appropriate handling and disposal for samples containing such material. Also, a company may have confidential internal corporate databases of samples or sample constituents that may be referenced only by internal code numbers.

By placing the hyperlink information directly in the calibration table, the developer or expert may conveniently embed a large amount of additional information within the data analysis package. Also, the operator who has little or no knowledge of the location of such information may directly access the linked information without the need to go outside the report. No additional software or programming knowledge is required from either the developer or expert or the operator.

The calibration table may include tags, which are one type of embodiment of meta language tools. The tags are commands to a program with directions on how to display or interpret the information following the tags. In HyperText Markup Language (HTML), tags may be used to control how information may be displayed, typically by a web browser. For example, a tag may indicate to an HTML interpreter that the information following the tag is a picture, image, or remote uniform resource locators (URL)s. Other meta language tools, such as Extensible Markup Language (XML) or Chemical Markup Language (CML), may use tags to control how information may be directed, stored or used in ways as described by a creator of the tags. Tags may also include other types of information or identifiers for linking. In addition, the meta language tools may be modified easily by simply editing the tags in the calibration table. The generated report now appears as shown in Table 4.

Peak #	Retention Time (min)	Type	Width (min)	Area (counts*s)	Area %	Name
1	0.250	BP	0.125	987.47973	31.22184	<u>n-pentadecane</u>
2	0.750	BP	0.125	97.54479	3.08809	<u>p-xylene</u>
3	1.750	BP	0.126	988.16975	31.28368	<u>butylbenzene</u>
4	2.250	BP	0.125	97.54479	3.08809	<u>2-methylpent</u>
5	3.250	BP	0.126	987.99972	31.27830	<u>2-methybutane</u>

Table 4

Table 4 illustrates a report with embedded meta language tools utilizing HTML. Additional meta language tools, such as XML and CML, may be utilized as well. Tables 1-4 can be displayed electronically on a display device in screens, web pages, or other formats.

Figure 1 illustrates a report 100 with embedded links 110 directed to various compound information source locations, such as external URLs 104, which include government laboratories or other public domain websites; internal corporate databases 106 accessed via an intranetwork, the location of which may be known only to the developer or expert; or local databases 108 on the personal computer (PC) or other machine of the developer or expert. The databases or other resources 104, 106 and 108 may store relevant compound information 105, such as detailed description of the physical and chemical attributes of a particular compound. The developer or expert may be the only individual that has access to knowledge of where the meta language tools 110 reside. The developer or expert may incorporate the meta language tools 110 directly in the calibration table using tags 107, so that the operator may directly access the relevant information stored in the databases or other resources 104, 106 and 108 by, for example, "clicking on" or "double clicking on" the embedded tags 107 using a cursor control device. Upon doing so, the operator's web browser

can use the embedded link 110 to locate and retrieve the associated information and display it to the operator. Since the tags 107 may be invisible to the operator, the location of the relevant information may be hidden from the operator.

In addition, a knowledgeable operator may modify the meta language tools 110 within the report 100 by simply editing the tags in the calibration table.

Figure 2 illustrates exemplary hardware components of a computer 200 that is used to implement the present invention. The computer 200 includes a connection with a network 218 such as the Internet or other type of computer or phone networks. The computer 200 typically includes a memory 202, a secondary storage device 212, a processor 214, an input device 216, a display device 210, and an output device 208.

The memory 202 may include random access memory (RAM) or similar types of memory. The memory 202 may store one or more applications 204, including the generated reports 100, for execution by the processor 214. The applications 204 may correspond with software modules to perform processing for the method described below. The memory 202 may be connected to the network 218 by a web browser 206. The web browser 206 makes a connection via the WWW to other computers known as web servers, and receives information from the web servers that is displayed on the computer 200. Information displayed on the computer 200 is typically organized into pages that are constructed using specialized language, such as HTML, XML or CML. The secondary storage device 212 may include a hard disk drive, floppy disk drive, CD-ROM drive, or other types of non-volatile data storage, and it may correspond with various databases or other resources. The secondary storage device 212 may include local databases 108 that may be linked to the generated report 100. The processor 214 may execute applications 204, the generated reports 100, or other information stored in the memory 202, the secondary storage 212, or received from the Internet or other network 218. The input device 216 may include any device for entering data into the computer 200, such as a keyboard, key pad, cursor-control device, touch-screen (possibly with a stylus), or microphone. The display device 210 may include any type of device for presenting visual image, such as, for example, a computer monitor, flat-screen display, or display panel. The output device 208 may include any type of device for

presenting data in hard copy format, such as a printer, and other types of output devices include speakers or any device for providing data in audio form. The computer 200 can possibly include multiple input devices, output devices, and display devices.

Although the computer 200 is depicted with various components, one skilled in the art will appreciated that this computer can contain additional or different components. In addition, although aspects of an implementation consistent with the present invention are described as being stored in memory, one skilled in the art will appreciated that these aspects can also be stored on or read from other types of computer program products or computer-readable media, such as secondary storage devices, including hard disks, floppy disks, or CD-ROM; a carrier wave from the Internet or other network; or other forms of RAM or ROM. The computer-readable media may include instructions for controlling the computer 200 to perform a particular method.

Figure 3 is a flow chart of a process for incorporating meta language tools 110 within a report generating method. This method may be implemented with software modules stored in memory 202 for execution by processor 214.

According to current implementation for adding meta language tools in a report, a developer or expert typically creates a method to analyze data results. After the data results are analyzed, an operator may need to call upon an additional software program or software package that add the meta language tools or links. The developer or author of this additional package, which may be the operator, typically would need not only to have knowledge about the location of the meta language tools or links, but also to have sufficient programming skill to insert this information into the report.

According to an embodiment of the present invention, a developer or expert may first create a method that contains data analysis parameters and generates data results for a sample of compounds, step 310. Then the developer or expert may incorporate meta language links 110, such as hyperlink or database references, within the method, step 320. The links may direct an operator to various databases or other resources 104, 106 and 108 that contain information relating to the compounds. In the next step, data results generated by the method are then analyzed, step 330, and a report 100 is created, which already includes the meta

language links 110, step 340. The meta language links 110 may utilize HTML, XML, CML, or other programming language. As a result of the process, an operator may access the information stored in the databases or other resources 104, 106 and 108 by simply opening the linked files embedded in the report 100, without the need to know the location of the resources or to go outside the report 100. For example, an operator can “click on” or “double click on” a section having an embedded link using a cursor control device. Upon doing so, the operator’s web browser may use the embedded link to locate and retrieve the associated information and display it to the operator. Although the method is described with respect to a developer or expert, others may use it as well to generate reports with embedded links.

While the present invention has been described in connection with an exemplary embodiment, it will be understood that many modifications will be readily apparent to those skilled in the art, and this application is intended to cover any variations thereof.

What is claimed is:

- 1 1. A process for inclusion of links within a chromatography or spectroscopy software
2 package, comprising:
3 injecting a sample of compounds into a chromatographic or spectroscopic instrument;
4 creating a method that contains data analysis parameters relating to the sample of
5 compounds;
6 creating a calibration table that contains the data analysis parameters;
7 incorporating meta language tools in the calibration table;
8 analyzing the signals generated by the method; and
9 generating a report that provides results of the signal analysis, wherein the meta
10 language tools link the report to resources that store information relating to the compounds.
- 1 2. The process of claim 1, wherein the incorporating step includes linking uniform
2 resource locators to the report via a network.
- 1 3. The process of claim 1, wherein the incorporating step includes linking internal
2 databases to the report.
- 1 4. The process of claim 1, wherein the incorporating step includes linking local
2 databases to the report.
- 1 5. The process of claim 1, wherein the incorporating step includes using HyperText
2 Markup Language, Extensible Markup Language, or Chemical Markup Language for the
3 meta language tools.
- 1 6. The process of claim 1, further comprising using a web browser to display the meta
2 language tools directly in the report.

1 7. The process of claim 1, further comprising editing the meta language tools in the
2 calibration table.

1 8. A process for inclusion of links within a chromatography or spectroscopy software
2 package, comprising:

3 creating a method, wherein the method generates data results for a sample of
4 compounds;

5 incorporating links within the method, wherein the links direct an operator to
6 resources that contain information relating to the compounds;

7 analyzing the data results generated by the method; and

8 generating a chromatographic or spectroscopic report, wherein the report includes the
9 links embedded within the method.

1 9. The process of claim 8, wherein the incorporating step includes linking uniform
2 resource locators to the report via a network.

1 10. The process of claim 8, wherein the incorporating step includes linking internal
2 databases to the report.

1 11. The process of claim 8, wherein the incorporating step includes linking local
2 databases to the report.

1 12. The process of claim 8, wherein the incorporating step includes using HyperText
2 Markup Language, Extensible Markup Language, or Chemical Markup Language for the
3 links.

1 13. The process of claim 8, further comprising using a web browser to display the links
2 directly in the report.

1 14. The process of claim 8, further comprising editing the links in the report.

1 15. A chromatographic or spectroscopic report, comprising:

2 a report stored on a computer-readable medium and generated from a calibration table
3 relating to analysis of samples of compounds, the report including:
4 information relating to the compounds; and
5 tags for electronically linking the report to resources that store the information
6 relating to the compounds.

1 16. The report of claim 15, wherein the resources include uniform resource locators that
2 are linked to the report via a network.

1 17. The report of claim 15, wherein the resources include internal databases accessed via
2 an intranetwork.

1 18. The report of claim 15, wherein the resources include local databases.

1 19. The report of claim 15, wherein the tags include HyperText Markup Language,
2 Extensible Markup Language, or Chemical Markup Language.

1 20. The report of claim 15, wherein the information includes a detailed description of the
2 physical and chemical attributes of the compounds.

Abstract

For chromatographic or spectroscopic data analysis, a method may be created by a developer or expert that contains instrument parameters for a particular sample to control a chromatographic or spectroscopic instrument. A report may then be generated, the content of which may be based upon the processing of data or signal by the method. Hyperlinks or other meta language tools may be inserted by the developer or expert into the data analysis method to direct an operator to an appropriate location, without the operator needing to know anything either about the sample or the location to which he or she is directed. Accordingly, the operator may access a vast amount of information without the need to know the location of the information or going outside the report.




Fig. 1




Fig. 2




Fig.3

DECLARATION AND POWER OF ATTORNEY
FOR PATENT APPLICATIONATTORNEY DOCKET NO. 10003905-1

As a below named inventor, I hereby declare that:

My residence/post office address and citizenship are as stated below next to my name;

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

CHROMATOGRAPHIC OR SPECTROSCOPIC REPORTS WITH HYPERLINKS TO ALLOW DIRECT ACCESS TO EXTERNAL REFERENCES

the specification of which is attached hereto unless the following box is checked:

() was filed on _____ as US Application Serial No. or PCT International Application Number _____ and was amended on _____ (if applicable).

I hereby state that I have reviewed and understood the contents of the above-identified specification, including the claims, as amended by any amendment(s) referred to above. I acknowledge the duty to disclose all information which is material to patentability as defined in 37 CFR 1.56.

Foreign Application(s) and/or Claim of Foreign Priority

I hereby claim foreign priority benefits under Title 35, United States Code Section 119 of any foreign application(s) for patent or inventor(s) certificate listed below and have also identified below any foreign application for patent or inventor(s) certificate having a filing date before that of the application on which priority is claimed:

COUNTRY	APPLICATION NUMBER	DATE FILED	PRIORITY CLAIMED UNDER 35 U.S.C. 119
			YES: _____ NO: _____
			YES: _____ NO: _____

Provisional Application

I hereby claim the benefit under Title 35, United States Code Section 119(e) of any United States provisional application(s) listed below:

APPLICATION SERIAL NUMBER	FILING DATE

U. S. Priority Claim

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code Section 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, Section 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

APPLICATION SERIAL NUMBER	FILING DATE	STATUS (patented/pending/abandoned)

POWER OF ATTORNEY:

As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith:

Customer Number 022878Place Customer
Number Bar Code
Label here

Send Correspondence to:
AGILENT TECHNOLOGIES
 Legal Department, 51U-PD
 Intellectual Property Administration
 P.O. Box 58043
 Santa Clara, California 95052-8043

Direct Telephone Calls To:

Gerald P. Joyce, III
 978 659-2028

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name of Inventor: Charles Robert Knipe, Jr.Citizenship: U.S.Residence: 8 Jonlyn Lane, Collegeville, PA 19426

Post Office Address: _____



Inventor's Signature

Date

Nov. 27, 2000

DECLARATION AND POWER OF ATTORNEY
FOR PATENT APPLICATION (continued)

ATTORNEY DOCKET NO. 10003905-1

Full Name of # 2 joint inventor: Harriet Patricia Snipes Citizenship: U.S.

Residence: 3421 Pebble Beach Drive, Wilmington, DE 19808

Post Office Address: "

Inventor's Signature Harriet Patricia Snipes Date Nov 27, 2000

Full Name of # 3 joint inventor: _____ Citizenship: _____

Residence: _____

Post Office Address: _____

Inventor's Signature _____ Date _____

Full Name of # 4 joint inventor: _____ Citizenship: _____

Residence: _____

Post Office Address: _____

Inventor's Signature _____ Date _____

Full Name of # 5 joint inventor: _____ Citizenship: _____

Residence: _____

Post Office Address: _____

Inventor's Signature _____ Date _____

Full Name of # 6 joint inventor: _____ Citizenship: _____

Residence: _____

Post Office Address: _____

Inventor's Signature _____ Date _____

Full Name of # 7 joint inventor: _____ Citizenship: _____

Residence: _____

Post Office Address: _____

Inventor's Signature _____ Date _____

Full Name of # 8 joint inventor: _____ Citizenship: _____

Residence: _____

Post Office Address: _____

Inventor's Signature _____ Date _____